



VCUR 2004 Product List – April 1, 2004

VCUR 2004 Product List Summary – April 1, 2004

Local Installation					
VENDOR	POS Application				
	Application Name	Version Number	Platform	Operating System	Vendor website
CLINICARE	TotalCare	5.2	PC	MS Windows XP	www.clinicare.com
Jonoke	Freedom	4.0	PC	MS Windows XP	www.jonoke.com
Jonoke	Medifile	4.0	PC	MS Windows XP	www.jonoke.com
Med-Access	MedAccess EMR	2.0	PC	MS Windows XP	www.med-access.net
National Medical	NMS Clinic	1.0	PC	MS Windows XP	www.medicalsolutions.ca
RISE Healthcare	Healthsuite	5.0	PC	MS Windows XP	www.riseinc.com
Telin	Mediplan	13.4	PC	MS Windows XP	www.telin.com
-	-	-	-	-	-
Jonoke	Freedom	4.0	Mac	MAC OSX 10.3	www.jonoke.com
Jonoke	Medifile	4.0	Mac	MAC OSX 10.3	www.jonoke.com
Telin	Mediplan	13.4	Mac	MAC OSX 10.3	www.telin.com

ASP					
VENDOR	POS Application				
	Application Name	Version Number	Platform	Operating System	Vendor website
CLINICARE	TotalCare	5.2	PC	MS Windows XP	www.clinicare.com
Telin	Mediplan	13.4	PC	MS Windows XP	www.telin.com

Product Listing Detail: Jonoke *added April 1, 2004*

<i>Vendor</i>	Jonoke Software Development Inc.
<i>Application</i>	Freedom
<i>Version</i>	4.0
<i>Operating System</i>	MS Windows XP
<i>Database Management System</i>	4D 2003.2
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Windows XP • Apple AirPort Extreme WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	Jonoke Software Development Inc.
<i>Mailing Address</i>	8709 102 Avenue Edmonton AB T5H 4E5
<i>Contact Person</i>	Jody Bevan, Brandon Plaizier
<i>Telephone</i>	780 448-3647 ext 113
<i>Fax</i>	780 448-3741
<i>Email</i>	sales@jonoke.com
<i>Web</i>	www.jonoke.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 4.0

Average for Application Ergonomics Rated Requirements: 4.1

Product Listing Detail: Jonoke *added April 1, 2004*

<i>Vendor</i>	Jonoke Software Development Inc.
<i>Application</i>	Freedom
<i>Version</i>	4.0
<i>Operating System</i>	Mac OSX 10.3
<i>Database Management System</i>	4D 2003.2
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Mac OSX • Apple AirPort Extreme WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	Jonoke Software Development Inc.
<i>Mailing Address</i>	8709 102 Avenue Edmonton AB T5H 4E5
<i>Contact Person</i>	Jody Bevan, Brandon Plaizier
<i>Telephone</i>	780 448-3647 ext 113
<i>Fax</i>	780 448-3741
<i>Email</i>	sales@jonoke.com
<i>Web</i>	www.jonoke.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 4.2

Average for Application Ergonomics Rated Requirements: 4.4

Product Listing Detail: Jonoke *added April 1, 2004*

<i>Vendor</i>	Jonoke Software Development Inc.
<i>Application</i>	MediFile
<i>Version</i>	4.0
<i>Operating System</i>	MS Windows XP
<i>Database Management System</i>	4D 2003.2
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Windows XP • Apple AirPort Extreme WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	Jonoke Software Development Inc.
<i>Mailing Address</i>	8709 102 Avenue Edmonton AB T5H 4E5
<i>Contact Person</i>	Jody Bevan, Brandon Plaizier
<i>Telephone</i>	780 448-3647 ext 113
<i>Fax</i>	780 448-3741
<i>Email</i>	sales@jonoke.com
<i>Web</i>	www.jonoke.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 3.7

Average for Application Ergonomics Rated Requirements: 3.8

Product Listing Detail: Jonoke *added April 1, 2004*

<i>Vendor</i>	Jonoke Software Development Inc.
<i>Application</i>	MediFile
<i>Version</i>	4.0
<i>Operating System</i>	Mac OSX 10.3
<i>Database Management System</i>	4D 2003.2
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Mac OSX • Apple AirPort Extreme WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	Jonoke Software Development Inc.
<i>Mailing Address</i>	8709 102 Avenue Edmonton AB T5H 4E5
<i>Contact Person</i>	Jody Bevan, Brandon Plaizier
<i>Telephone</i>	780 448-3647 ext 113
<i>Fax</i>	780 448-3741
<i>Email</i>	sales@jonoke.com
<i>Web</i>	www.jonoke.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 4.3

Average for Application Ergonomics Rated Requirements: 4.6

VCUR 2004 Product List – April 1, 2004

Product Listing Detail: Med-Access *added April 1, 2004*

<i>Vendor</i>	Med-Access Inc.
<i>Application</i>	Med-Access EMR
<i>Version</i>	2.0
<i>Operating System</i>	MS Windows XP
<i>Database Management System</i>	MySQL 3.23
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Windows XP • 3Com OfficeConnect 11a/b/g WAP • 802.11g protocol

Contact Information:

<i>Name of Vendor</i>	Med-Access Inc.
<i>Mailing Address</i>	203, 2949 Pandosy Street Kelowna BCAB V1Y 1W1
<i>Contact Person</i>	John Bannerman
<i>Telephone</i>	250 448-7788
<i>Fax</i>	250 448-7799
<i>Email</i>	sales@med-access.net
<i>Web</i>	www.med-access.net

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 3.3

Average for Application Ergonomics Rated Requirements: 4.5

VCUR 2004 Product List – April 1, 2004

Product Listing Detail: RISE

added April 1, 2004

<i>Vendor</i>	RISE Healthware Inc.
<i>Application</i>	RISE Healthsuite w/Purkinje Dossier
<i>Version</i>	RHS – v5.0, Dossier v4.1
<i>Operating System</i>	MS Windows XP
<i>Database Management System</i>	MS SQL 2000
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Windows XP • Linksys 54G WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	RISE Healthware Inc.
<i>Mailing Address</i>	220, 6025 11 Street SE Calgary AB T2H 2Z2
<i>Contact Person</i>	Robert Tanner, Michael Szafron
<i>Telephone</i>	403 777-5225
<i>Fax</i>	403 777-5257
<i>Email</i>	robert.tanner@riseinc.com michael.szafron@riseinc.com
<i>Web</i>	www.riseinc.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 4.0

Average for Application Ergonomics Rated Requirements: 4.4

Product Listing Detail: Telin

added April 1, 2004

<i>Vendor</i>	Telin Systems Ltd.
<i>Application</i>	Mediplan
<i>Version</i>	13.4
<i>Operating System</i>	MS Windows XP
<i>Database Management System</i>	4D 2003.2
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Windows XP • Apple AirPort Extreme WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	Telin Systems Ltd.
<i>Mailing Address</i>	1040 – 7 Avenue SW, Suite 205 Calgary AB T2P 3G9
<i>Contact Person</i>	Garry Lee, Nicole Thibault
<i>Telephone</i>	403 297-0270 ext 72
<i>Fax</i>	403 297-0273
<i>Email</i>	sales@telin.com
<i>Web</i>	www.telin.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 4.4

Average for Application Ergonomics Rated Requirements: 4.2

Product Listing Detail: Telin

added April 1, 2004

<i>Vendor</i>	Telin Systems Ltd.
<i>Application</i>	Mediplan
<i>Version</i>	13.4
<i>Operating System</i>	Mac OSX 10.3
<i>Database Management System</i>	4D 2003.2
<i>Delivery Method</i>	Local Install
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Mac OSX • Apple AirPort Extreme WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	Telin Systems Ltd.
<i>Mailing Address</i>	1040 – 7 Avenue SW, Suite 205 Calgary AB T2P 3G9
<i>Contact Person</i>	Garry Lee, Nicole Thibault
<i>Telephone</i>	403 297-0270 ext 72
<i>Fax</i>	403 297-0273
<i>Email</i>	sales@telin.com
<i>Web</i>	www.telin.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 4.4

Average for Application Ergonomics Rated Requirements: 4.2

Product Listing Detail: Telin

added April 1, 2004

<i>Vendor</i>	Telin Systems Ltd.
<i>Application</i>	Mediplan
<i>Version</i>	13.4
<i>Operating System</i>	MS Windows XP
<i>Database Management System</i>	4D 2003.2
<i>Delivery Method</i>	ASP
<i>Wireless Evaluation</i>	Yes
<i>Wireless Components</i>	<ul style="list-style-type: none"> • Notebook – Windows XP • Apple AirPort Extreme WAP • 802.11g wireless protocol

Contact Information:

<i>Name of Vendor</i>	Telin Systems Ltd.
<i>Mailing Address</i>	1040 – 7 Avenue SW, Suite 205 Calgary AB T2P 3G9
<i>Contact Person</i>	Garry Lee, Nicole Thibault
<i>Telephone</i>	403 297-0270 ext 72
<i>Fax</i>	403 297-0273
<i>Email</i>	sales@telin.com
<i>Web</i>	www.telin.com

Rated Requirements Summary:

The rated requirements are evaluated using the following scale:

1 = Not available	2 = Fair	3 = Acceptable	4 = Good	5 = Very Good
-------------------	----------	----------------	----------	---------------

Average for Workflow and Usability Rated Requirements: 3.3

Average for Application Ergonomics Rated Requirements: 4.1